



VENDING OPTIONS

Packer ToolBox & Locker High-Security and Auxiliary-Vending

The Packer ToolBox - Featuring an easyto-use touchscreen, the Packer ToolBox combines configurable coil technology and web-based software to deliver costeffective dispensing.



- Multiple shelf configuration. Flexible layout for dispensing that's configured to address specific inventory needs.
- User-friendly, tablet-style display with onboard troubleshooting and diagnostics that help maximize uptime.
- Vends if disconnected and automatically syncs when reconnected.

Packer Locker - A simple and secure solution for point-of-use access to large and bulky consumable inventory, the Packer Locker can also manage tool check-in and check-out.

- Eighteen clear locker doors and LED lights for enhanced visibility.
- Two door sizes that accommodate better asset management.

FlexSense Weight Based Inventory Management System

The ideal open-stock solution for managing lowcost, high-volume items, while providing real-time information. Open shelves and sensitive scales let employees quickly grab consumables without any downtime. CribMaster software tracks real-time usage and item levels, alerting you when items need replenishment.



- LED indicator lights provide visual overview of inventory levels.
- Sensor platforms can be used with existing or custom bins and shelves.

GET STOCKED UP WITH EVERYTHING YOU NEED. NOW.



SEASONAL ITEMS











Offers valid while supplies last. All products may not be available in all stores. Sale price does not include applicable state/local taxes. The information contained in this promotion is for information purposes only, not for sales, and is subject to change at any time without notice. Certain Items may be restricted for sale in certain states. Packer Fastener is not responsible for lost, stolen, misdirected or undeliverable mail and reserve the right to correct any errors and/ or omissions in an offer and fulfill such offers as intended. Packer Fastener™ is a proprietary mark of Packer Fastener and Supply Inc. All other marks are the property of their respective owners. © 2024 Packer Fastener and Supply Inc.

SANDING (BLENDING) DISCS

SURFACE CONDITIONING DISCS

WEILER - 2" SANDING DISC (TYPE R)

PART NUMBER	FINISH	PRICE
#286-60118	36 Grit	\$ 1. 29/ea.
#286-60121	60 Grit	\$ 1. 29/ea.
#286-60122	80 Grit	\$ 1. 29/ea.
#286-60124	120 Grit	\$1. 29/ea.



NORTON - 2" SANDING DISC (TYPE R)

PART NUMBER	FINISH	PRICE
#482-69957399706	36 Grit	\$ 1. 39/ea.
#482-69957399709	60 Grit	\$ 1. 39/ea.
#482-69957399710	80 Grit	\$ 1. 39/ea.
#482-69957399712	120 Grit	\$ 1. 39/ea.



- Compatible with 3M[™] Roloc[™] back-up pads
- For use on right angle air tools
- Plastic Button Style



WEILER - 3" SANDING DISC (TYPE R)

PART NUMBER	FINISH	PRICE
#286-60131	36 Grit	\$ 1. 49/ea.
#286-60134	60 Grit	\$ 1. 49/ea.
#286-60135	80 Grit	\$1. 49/ea.
#286-60137	120 Grit	\$ 1. 49/ea.



NORTON - 3" SANDING DISC (TYPE R)

PART NUMBER	FINISH	PRICE
#482-69957399718	36 Grit	\$ 1. 59/ea.
#482-69957399653	60 Grit	\$ 1. 59/ea.
#482-69957399654	80 Grit	\$ 1. 59/ea.
#482-69957399656	120 Grit	\$ 1. 59/ea.

• Coarse grit for stock removal, weld blending, and deburring stainless steel and other steels, and soft metals like aluminum



WEILER - 2" SURFACE CONDITIONING DISC

PART NUMBER	FINISH	PRICE
#286-51530	Very Fine (Blue)	\$ 1. 79/ea.
#286-51531	Medium (Maroon)	\$ 1. 79/ea.
#286-51532	Coarse (Brown)	\$ 1. 79/ea.



PART NUMBER	FINISH	PRICE
#482-66261009189	Very Fine (Blue)	\$ 2. 19/ea.
#482-66261009190	Medium (Maroon)	\$ 2. 19/ea.
#482-63642577114	Coarse (Brown)	\$ 2. 19/ea.

NORTON - 2" SURFACE CONDITIONING DISC



- superior resin system • Plastic button style discs
- Compatible with 3M Roloc back-up pads





WEILER - 3" SURFACE CONDITIONING DISC

PART NUMBER	FINISH	PRICE
#286-51533	Very Fine (Blue)	\$2.59/ea.
#286-51534	Medium (Maroon)	\$2.59/ea.
#286-51535	Coarse (Brown)	\$2.59/ea.



#286-51533	Very Fine (Blue)	\$ 2. 59/ea.
#286-51534	Medium (Maroon)	\$ 2. 59/ea.
#286-51535	Coarse (Brown)	\$2.59/ea.

NORTON - 3" SURFACE CONDITIONING DISC

PART NUMBER	FINISH	PRICE
#482-66261009192	Very Fine (Blue)	\$ 3. 79/ea.
#482-66261017522	Medium (Maroon)	\$ 3. 79/ea.
#482-66261009194	Coarse (Brown)	\$ 3. 79/ea.

- Premium high-loft nylon fiber bonded to a strong nylon scrim backing allows a thick layer of resin bond and grain for extended life, added durability, and stiffness
- Proprietary Clean Bond resin technology guarantees smear-free finishes even on high nickel content alloys and reduces loading on aluminum and other soft metals
- For applications that require heavy to medium stock removal, please refer to cloth quick change discs



1/4 Stem - 2"

\$20_99/ea.

BACK UP PAD, **FOR TYPE R DISCS** #286-51552

1/4 Stem - 3"

\$24_39/ea.

- Plastic Button Style Back Up Pads
- Compatible with 3M Roloc™ Back-Up Pads

CUT-OFF WHEELS



NORTON





WEILER WOLVERINE T1 CUT-OFF WHEELS

4-1/2 x .045 x 7/8

#286-56281 | **\$1_79**/ea.

4-1/2 x 1/16 x 7/8

#286-56103 | **\$2_09**/ea.

Weiler Wolverine 4.5 inch type 1 cutting wheels deliver a fast cut rate and consistent performance at a good value when cutting steel and other metals. The flat type 1 profile allows for deep cuts commonly required when cutting metal. The .045 wheel thickness is ideal for cutting tubes, bar stock, and large cross-sections with a right angle grinder. Wolverine is an aggressive, get it done product line for everyday general purpose use.



NORTON GEMINI T1 CUT-OFF WHEELS

4-1/2 x .045 x 7/8

#482-66252823602 | **\$_1**_**19**/ea.

4-1/2 x 1/16 x 7/8

#482-66252843208 | **\$5_09**/ea.

- Quality aluminum oxide abrasive designed for cutting alloys, steels and ferrous metals
- Ultra-thin reinforced straight wheel for fast, burr-free cutting-off only applications on right angle grinder where minimum material loss is desired
- Durable bond designed for fast cut while retaining excellent wheel life
- Excellent balance and free-cutting action are easy on the operator; good choice for general purpose cutting-off of 400 series stainless, hard carbon steels, and soft carbon steels
- Designed for quick cutting on right angle grinders with proper flanges
- Competitive initial price point, ideal for end user unable to measure performance

WEILER WOLVERINE T27 CUT-OFF WHEELS

4-1/2 x .045 x 7/8

#286-56393 | **\$1_79**/ea.

4-1/2 x 3/32 x 7/8

#286-56475 | **\$1_89/ea**.

- Aggressive cutting and grinding wheels that will get the job done fast
- Excellent value for the professional that needs a tough, aggressive wheel
- Dual reinforcement provides added strength for aggressive cutting
- Thin cutting wheels deliver accurate, clean cuts
- Open arbor offers a cost-effective mounting option when using adapting nuts
- Best for use on carbon steel, iron and general purpose metal use

NORTON GEMINI T27 CUT-OFF WHEELS

4-1/2 x .045 x 7/8

#482-66252842026 | **\$4_09**/ea.

4-1/2 x 3/32 x 7/8

#482-66252841940 | **\$_1_19**/ea.

- Quality aluminum oxide for consistent performance at an economical price
- Ultra-thin depressed center right angle grinder wheel for cutting-off only applications where minimum material loss is desired
- Durable bond delivers consistent cut rate while retaining good wheel life
- Cuts-off aluminum and other soft metals without loading; contains no wax or rubber fillers
- Designed for quick cutting on right angle grinders with proper flanges
- Comes with quick change hub for tool free wheel changes to increase productivity







WEILER.



WEILER TIGER T27 CUT-OFF WHEELS

4-1/2 x .045 x 5/8-11

#286-57040 | **\$4_49**/ea.

4-1/2 x 3/32 x 5/8-11

#286-56385 | **\$4_59**/ea.

Weiler Tiger aluminum oxide 4.5 inch type 27 depressed center cutting wheels deliver the right combination of performance and value when cutting steel and other metals. The depressed center provides added clearance when working at a constrained angle and .045 wheel thickness is ideal for cutting tubes, bar stock, and large crosssections with a right angle grinder. A smaller hub on 4.5 inch wheels keeps the wheel from gouging valuable parts as well as allowing for 30% more usable wheel area. This versatile cutting wheel leverages a strong bond that offers a long life solution for all your general purpose applications at an excellent total cost of use.

NORTON GEMINI T27 CUT-OFF WHEELS

4-1/2 x .045 x 5/8-11

#482-66252842025 | **\$5_79**/ea.

4-1/2 x 3/32 x 5/8-11

#482-66252841903 | **\$5_89**/ea.

- Quality aluminum oxide for consistent performance at an economical price
- Ultra-thin depressed center right angle grinder wheel for cutting-off only applications where minimum material loss is desired
- Durable bond delivers consistent cut rate while retaining good wheel life
- Cuts-off aluminum and other soft metals without loading; contains no wax or rubber fillers
- Designed for quick cutting on right angle grinders with proper flanges
- With quick change hub for tool free wheel changes to increase productivity





GRINDING WHEELS





WEILER TIGER GRINDING WHEELS

4-1/2 x 1/4 x 7/8

#286-58071 | **\$5_59/ea**.

4-1/2 x 1/4 x 5/8-11

#286-58070 | **\$8_39**/ea.

NORTON GEMINI GRINDING WHEELS

4-1/2 x 1/4 x 7/8

#482-66252843594 | **\$7_09**/ea.

4-1/2 x 1/4 x 5/8-11

#482-66252843593 | **\$7_59**/ea.





FIRESTOP

STI FIRESTOP LCI INSTUMESCENT SEALANT

10 oz Cartridge

#549-LCI300 | **\$8_59**/ea.

20 oz Sausage Tube

#549-LCI320 | **\$13_49/**ea.

Water-based intumescent sealant



STI FIRESTOP SMOKE "N" SOUND ACOUSTICAL SEALANT

#549-SNS129W

\$9_39/ea.

A high-quality acrylic latex sealant designed for sealing throughpenetrations and membrane penetrations in smoke rated walls.





FLAP DISCS



WEILER WOLVERINE FLAP DISCS

PART NUMBER	SIZE	PRICE
#286-31401	4-1/2 x 7/8, 36 Grit	\$ 3. 79/ea.
#286-31402	4-1/2 x 7/8, 40 Grit	\$ 3. 79/ea.
#286-31403	4-1/2 x 7/8, 60 Grit	\$ 3. 79/ea.
#286-31404	4-1/2 x 7/8, 80 Grit	\$ 3. 79/ea.
#286-31405	4-1/2 x 7/8, 120 Grit	\$ 3. 79/ea.







Weiler Wolverine 4.5 inch conical flap discs deliver a fast cut rate and consistent performance at a good value when grinding steel and other metals. The type 29 conical disc shape maximizes surface contact when grinding between 15° - 35° for aggressive stock removal on flat surfaces while the 36 grit abrasive grain is best for heavy stock removal, edge beveling, and chamfering with an angle grinder. This disc offers a metal 5/8"" - 11 nut that allows for quick changeovers and prevents the disc from sticking to the spindle. Wolverine is an aggressive, get it done product line for everyday general purpose use.

- High cut rate and consistent performance at a good value
- Self-sharpening zirconia alumina (ZA) grains hold up under high temperatures and extreme pressure
- Conical disc shape maximizes surface contact for aggressive stock removal on flat surfaces
- 5/8"" 11 metal nut allows for quick spin-on, spin-off changeover and eliminates cross-threading or sticking to spindle due to heat build-up
- Phenolic backing prevents scratching of the workpiece
- Best on steel, cast iron and general use





NORTON METAL FLAP DISCS

PART NUMBER	SIZE	PRICE
#482-66254472653	4-1/2 x 7/8, 36 Grit	\$ 5. 49/ea.
#482-66254437004	4-1/2 x 7/8, 40 Grit	\$5. 49/ea.
#482-66254448989	4-1/2 x 7/8, 60 Grit	\$ 5. 49/ea.
#482-66254448990	4-1/2 x 7/8, 80 Grit	\$ 5. 49/ea.
#482-66254472655	4-1/2 x 5/8-11, 36 Grit	\$ 6. 59/ea.
#482-66254437013	4-1/2 x 5/8-11, 40 Grit	\$ 6. 59/ea.
#482-66254472656	4-1/2 x 5/8-11, 60 Grit	\$ 6. 59/ea.
#482-66254472657	4-1/2 x 5/8-11, 80 Grit	\$6.59/ea.

- Durable zirconia alumina grain provides a good cut rate and life, and offers consistent finishina
- Polyester/cotton flaps are the best choice when speed of job completion and stock removal are primary considerations
- Fiberglass backing plate offers high strength, light weight, and the ability to absorb vibration for improved operator comfort
- Type 27 flat flaps are designed to be used at a 0 to 15 degree angle on flat surfaces
- Good choice for coarse grit blending, deburring, and stock removal





FLAP WHEELS

WEILER

FLAP WHEELS - 1/4 STEM

PART NUMBER	SIZE	PRICE
#286-30711	5/8 x 5/8, 40 Grit	\$ 1. 79/ea.
#286-30712	5/8 x 5/8, 60 Grit	\$1. 79/ea.
#286-30713	5/8 x 5/8, 80 Grit	\$1. 79/ea.
#286-30715	3/4 x 3/4, 40 Grit	\$2.09/ea.
#286-30716	3/4 x 3/4, 60 Grit	\$ 2. 09/ea.
#286-30717	3/4 x 3/4, 80 Grit	\$ 2. 09/ea.
#286-30719	1 x 1, 40 Grit	\$2.39/ea.
#286-30720	1 x 1 60 Grit	\$2.39/ea.
#286-30721	1 x 1, 80 Grit	\$2.39/ea.
#286-30722	1 x 1, 120 Grit	\$ 2. 39/ea.
#286-30771	1-1/2 x 1, 40 Grit	\$ 2. 99/ea.
#286-30732	2 x 1, 40 Grit	\$ 3. 59/ea.
#286-30723	2 x 1, 60 Grit	\$ 3. 59/ea.
#286-30724	2 x 1, 80 Grit	\$ 3. 59/ea.
#286-30725	2 x 1, 120 Grit	\$ 3. 59/ea.
#286-30729	3 x 1, 40 Grit	\$ 4. 29/ea.
#286-30726	3 x 1, 60 Grit	\$ 4. 29/ea.
#286-30727	3 x 1, 80 Grit	\$ 4 _29/ea.
#286-30728	3 x 1, 120 Grit	\$ 4. 29/ea.

Weiler Wolverine aluminum oxide 5/8 inch coated abrasive flap wheels provide fast cutting at a value price on steel and other metals. The 1/4 inch stem allows for easy mounting on a die grinder or right angle die grinder.

- Provide Fast Cutting At a Value Price
- Can be dressed to conform to application part
- Solid hub construction increases balance and reduced vibration



SEYMOUR

SEYMOUR MRO PAINT

PART NUMBER	Color	PRICE
#564-620-1407	Red Oxide Primer	\$ 9. 99/ea.
#564-620-1411	Aluminum	\$ 9. 99/ea.
#564-620-1412	Flat White	\$ 9. 99/ea.
#564-620-1413	Gloss White	\$9 _99/ea.
#564-620-1415	Gloss Black	\$9 _99/ea.
#564-620-1416	Gray (ANSI 61)	\$9. 99/ea.
#564-620-1417	Dark Gary (ANSI 49)	\$9 .99/ea.
#564-620-1418	Light Gray (ANSI 70)	\$ 9. 99/ea.
#564-620-1419	Safety Yellow	\$ 9. 99/ea.
#564-620-1423	Safety Red	\$9 _99/ea.
#564-620-1427	Safety Blue	\$9. 99/ea.
#564-620-1431	Gray Primer	\$9. 99/ea.
#564-620-1433	Flat Black	\$ 9. 99/ea.
#564-620-1437	SB Green	\$ 9. 99/ea.
#564-620-1441	IHC Red	\$ 9. 99/ea.
#564-620-1451	Safety Orange	\$9. 99/ea.
#564-620-1452	Safety Green	\$9. 99/ea.
#564-620-1460	Stainless Steel	\$9 _99/ea.





FEATURES:

Seymour's MRO aerosols are high-solids, industrial-grade line of coatings specifically designed for Maintenance, Repair, & Operations.

- High-Solids formula provides long-lasting durability
- Does not run or sag, and long-lasting corrosion protection in the toughest environments
- Extremely Durable, Industrial-Grade High-Solids spray paint for all your projects when conventional spray paint just wont cut it
- Won't run or sag and resists oil, gas, heat, abrasion, and sunlight
- High-Solids formulation for twice the coverage of conventional spray paints
- Dries to touch in 30 min., hard cure in 2-3 days.
- Up to 18 sq ft coverage per can



DISCOVER OUR CUSTOM FASTENER SOLUTIONS



Hex Head Bolts

- Finished Hex
- Heavy Hex
- Machine Bolts
- Custom

Sockets

- Socket Head Cap Screws
- Set Screws
- Shoulder Bolts
- Custom

Studs

- Double-End Studs
- Tap End Studs
- Single End Studs
- All thread Studs
- Custom

Nuts

- Round
- Hex
- · Coupling · Slotted
- Collared Custom

Pins

- Dowel Pins
- Headless Clevis Pins

Custom

Secondary Operation

- Drilled Heads
- Through-holes
- Captivated Fasteners
- Slotting
- Grooving
- Knurling
- Special Points
- Threading
- Head Shaving
- Thread Cutting

Materials

- · Grades 2 through 12.9
- Carbon Steel
- · Alloy Steel
- Stainless Steel
- Nickel Alloys
- Brass
- Aluminum

Coatings

- · Zinc
- Mechanical Galvanized
- Hot Dip Galvanized
- Black Oxide
- Custom

Additional Services

- Heat Treating
- Patching
- Thread locker Preapplication
- Testing
- Kitting
- Assembly

EVERYTHING TO

BUILD ANYTHING

GENERAL CAPABILITIES

- Cut threads from 1/4" through 2" (M6 through M48)
- Cutting from 3/16" through 6" (M4 through M150)
- Internal thread tapping from 1/4" through 2-1/2" (M6 through M64)
- ASTM/ASME/ISO/DIN/EN Specifications

Contact your Packer Fastener Sales Team for all custom inquiries.









